HIV Positives Risk Profile

How was the risk profile done?

We wanted to give you information about the recent risk behaviors in different subpopulations in your area who have tested HIV positive through publicly-funded prevention counseling programs in Texas. But just like the epi information, it can be hard to absorb and deal with different strands of information about different groups. So we have calculated risk scores for each subpopulation. These risk scores are based on information collected in HIV Prevention Counseling sessions (see *How did you get this information?* below). We included 11 behaviors/risk indicators in the risk profile:

Barrier use with oral sex: The percent of clients who said they "almost never" used condoms with oral sex (out of those who reported oral sex in the last year)

Barrier use with vaginal sex: The percent of clients who said they "almost never" used condoms with vaginal sex (out of those who reported this kind of sex in the last year)

Barrier use with anal sex: The percent of clients who said they "almost never" used condoms with anal sex (out of those who reported anal sex in the last year)

STD history: The percent of clients who said they had an STD in the last year

Multiple partners: The percent of clients who said they had multiple sexual partners in the last year.

Sex partner at risk: The percent who said they had a sex partner at risk. The sex partner risks include all of the following: man who has sex with men, injecting drug use, partner with HIV/AIDS, or some other risk for HIV.

Sex partner with multiple partners – Percent of clients who said their sex partners have multiple sex partners.

Buying sex with money or drugs: The percent of clients who report buying sex with money or drugs in the last year

Selling sex for money or drugs: The percent who said they sold sex in the last year.

Drug use with sex: The percent of clients who said they used substance(s) before sex/during sex in the last year. The list of possible substances includes alcohol, pot, cocaine, and heroin.

Sharing needles: The percent of clients who said they shared syringes and/or injection equipment in the last year.

1

How did you get this information?

All risk profile information presented in this Epidemic Profile comes from risk behavior information reported by clients to counselors during Prevention Counseling (PC) sessions. These are recent risks for HIV – behaviors that have occurred in the 12 months before the counseling session. This information reflects PC sessions that took place January 1, 1999 through December 31, 2000 using the updated Texas HIV Prevention Counseling report form. Due to small numbers in some racial and ethnic categories, we have only presented risk information on Behaviorally-Dependent Target Populations (BDTPs: M/MS, IDU, and F/MS) and by sex.

Is this information accurate? Can it be used to say what risk behaviors are going on in the community?

This information comes from what PC counselors report about the sessions they do with clients. If a risk doesn't come up during a session, it is not reported, so if clients don't report all their risk behaviors they won't show up here. For this reason, all the percentages should be considered minimum estimates of that behavior in clients. Also remember that this is information from PC clients, not a random sample of MMS, IDU or FMS. If your own observations tell you that certain groups within risk population don't accessing PC very often, say African American M/MS, then you may want to suggest that more information be gathered on this group through needs assessment. When the numbers of clients in a group is very small, we indicated this in the summary of the profile. So the PC information is not perfect, but it gives a good idea of how "prevalent" a risk behavior is among PC clients— are lots members of a subpopulation reporting it, or only a few? Use it as a way of comparing between groups, and maybe to spark some questions for your needs assessment.

Risk Profile Tables

Risk profile tables are calculated for each HMAZ and LMAZ in an area. The table below is an example showing the risk profile for Hispanics in Area X.

	M/MS	IDU		F/MS	
Barrier Use		Male	Female	Male	Female
Oral^	*	*	100	91	81
Vaginal^	*	50	50	48	58
Anal^	*	*			25
STD History	43	0	22	16	6
Multiple Partners	43	80	67	31	13
Exchange Sex					
Bought	0	60	0	7	0
Sold	0	20	22	0	0
Substance Use	71	80	100	67	38
Sharing Needles		80	67		
Partner risk	43	60	33	5	6
Partner Mult Partners	29	40	56	24	21

[^]barrier use is presented as proportion never used barrier, all other measures report proportion reporting that behavior.

The first column identifies the risk factor.

Columns identify behavioral classifications and sex.

All numbers represent proportion of the indicated sub-population who reported the risk behavior in the past year. For example, in the section of the table shown above, it indicates that 91% of prevention counseled F/MS men in this particular analysis zone indicated they never used a barrier for oral sex.

Notice that the M/MS and IDU male sections are shaded green. For analysis, we have decided that a minimum of five counseling sessions must be present to be confident about the proportion shown. The areas shaded indicate those risk factors in which there is insufficient evidence to comment upon. The number of sessions for these limited factors are indicated by the color of the shading. In the above example, the green shading in M/MS and IDU males indicates there were only 3 prevention counseling sessions for M/MS and IDU males in this analysis zone discussed barrier use with oral sex.

The information is presented as statewide summaries by Race/Ethnicity and by Age Group, then individually by HMAZ/LMAZ area (See 2000 HIV Epidemic Profile for description of HMAZ and LMAZ analysis zones)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Risks for HIV Positives by Race/Ethnicity

White/Anglo

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	71.2%	68.2%	68.0%	70.5%	76.5%
Vaginal^	43.5%	50.0%	30.3%	44.4%	50.5%
Anal^	24.3%	51.8%	55.6%	48.0%	57.1%
STD History	10.9%	20.3%	27.9%	6.3%	14.1%
Multiple Partners	46.0%	51.2%	41.9%	21.3%	40.6%
Exchange Sex					,
Bought	1.5%	13.0%	2.3%	3.9%	1.6%
Sold	3.4%	17.1%	34.9%	0.0%	14.1%
Substance Use	61.5%	87.0%	88.4%	66.1%	66.4%
Sharing Needles		66.7%	69.8%		
Partner risk	67.6%	71.5%	62.8%	33.1%	53.9%
Partner Mult Partners	32.9%	42.3%	25.6%	19.7%	36.7%

^{^%} Never Used

African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	51.1%	54.5%	44.4%	62.5%	59.3%
Vaginal^	22.4%	34.0%	33.3%	29.2%	36.3%
Anal^	21.1%	36.8%		56.3%	50.0%
STD History	12.9%	21.8%	27.8%	19.5%	22.7%
Multiple Partners	41.1%	46.2%	38.9%	30.1%	36.3%
Exchange Sex					
Bought	4.5%	23.1%	5.6%	8.6%	1.6%
Sold	9.1%	20.5%	33.3%	2.3%	14.6%
Substance Use	58.5%	88.5%	94.4%	64.8%	63.7%
Sharing Needles		56.4%	66.7%		
Partner risk	65.9%	65.4%	50.0%	40.4%	48.8%
Partner Mult Partners	28.2%	38.5%	16.7%	26.1%	32.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Hispanic

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	63.3%	66.7%	75.0%	78.6%	76.2%
Vaginal^	36.7%	52.6%	30.8%	44.6%	58.8%
Anal^	29.2%	33.3%	*	52.4%	56.3%
STD History	9.7%	20.3%	9.5%	9.8%	11.2%
Multiple Partners	48.5%	57.8%	61.9%	40.8%	34.8%
Exchange Sex					
Bought	2.9%	15.6%	0.0%	11.5%	3.4%
Sold	5.8%	10.9%	38.1%	1.1%	9.0%
Substance Use	57.3%	89.1%	90.5%	55.7%	46.1%
Sharing Needles		57.8%	85.7%		
Partner risk	72.8%	76.6%	90.5%	48.9%	62.9%
Partner Mult Partners	39.2%	59.4%	66.7%	33.3%	39.3%

^{^%} Never Used

Other Race/Ethnicity

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	58.3%	100.0%	*	*	*
Vaginal^	*	*	*	*	*
Anal^	15.4%	75.0%	*		
STD History	0.0%	0.0%	*	25.0%	25.0%
Multiple Partners	44.4%	40.0%	*	50.0%	0.0%
Exchange Sex					
Bought	0.0%	20.0%	*	0.0%	0.0%
Sold	0.0%	20.0%	*	0.0%	0.0%
Substance Use	50.0%	100.0%	*	50.0%	50.0%
Sharing Needles		60.0%	*		
Partner risk	50.0%	100.0%	*	50.0%	50.0%
Partner Mult Partners	22.2%	60.0%	*	50.0%	0.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Risks for HIV Positives by Age Groups

Adolescents (13 - 19)

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	55.6%	*	*	70.0%	75.0%
Vaginal [^]	*	*	*	35.3%	48.6%
Anal^	11.1%	*	*	*	*
STD History	12.0%	*	*	5.3%	35.1%
Multiple Partners	56.0%	*	*	47.4%	54.1%
Exchange Sex					,
Bought	0.0%	*	*	5.3%	2.7%
Sold	20.0%	*	*	0.0%	8.1%
Substance Use	64.0%	*	*	52.6%	54.1%
Sharing Needles		*	*		
Partner risk	80.0%	*	*	47.4%	56.8%
Partner Mult Partners	44.0%	*	*	36.8%	45.9%

^{^%} Never Used

Young Adult (20 - 24)

• , ,	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	61.7%	73.7%	40.0%	74.1%	73.1%
Vaginal^	45.5%	83.3%	16.7%	25.0%	32.9%
Anal^	19.4%	53.3%	*	60.0%	44.4%
STD History	10.9%	9.7%	12.5%	19.6%	24.2%
Multiple Partners	51.6%	67.7%	62.5%	35.3%	41.1%
Exchange Sex					
Bought	0.8%	12.9%	0.0%	13.7%	2.1%
Sold	7.8%	29.0%	37.5%	7.8%	9.5%
Substance Use	63.3%	83.9%	100.0%	66.7%	51.6%
Sharing Needles		64.5%	62.5%		
Partner risk	77.3%	83.9%	75.0%	56.9%	52.6%
Partner Mult Partners	40.6%	51.6%	62.5%	39.2%	41.1%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

25 - 29 yrs

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	64.5%	76.9%	57.1%	71.7%	59.5%
Vaginal^	26.5%	50.0%	25.0%	31.7%	32.8%
Anal^	29.0%	38.1%	*	52.9%	38.5%
STD History	8.4%	20.0%	20.0%	12.0%	18.8%
Multiple Partners	47.4%	50.0%	30.0%	37.0%	41.2%
Exchange Sex					
Bought	2.8%	17.5%	10.0%	8.0%	2.4%
Sold	2.8%	22.5%	40.0%	2.0%	11.8%
Substance Use	55.3%	92.5%	90.0%	63.0%	64.7%
Sharing Needles		65.0%	70.0%		
Partner risk	66.0%	85.0%	60.0%	51.0%	52.9%
Partner Mult Partners	32.6%	60.0%	10.0%	34.0%	35.3%

^{^%} Never Used

30 - 39 yrs

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	64.3%	64.4%	64.3%	63.0%	59.2%
Vaginal^	25.4%	44.9%	36.0%	37.5%	42.4%
Anal^	24.6%	54.1%	40.0%	43.8%	50.0%
STD History	10.1%	26.1%	24.3%	14.8%	15.4%
Multiple Partners	41.4%	49.6%	45.9%	27.5%	34.0%
Exchange Sex					
Bought	1.4%	17.4%	2.7%	5.3%	2.1%
Sold	6.4%	15.7%	27.0%	0.8%	17.0%
Substance Use	61.2%	86.1%	83.8%	59.4%	67.0%
Sharing Needles		61.7%	75.7%		
Partner risk	67.5%	65.2%	67.6%	37.7%	50.5%
Partner Mult Partners	30.4%	41.7%	35.1%	22.5%	31.4%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

40+ yrs

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	63.6%	60.5%	71.4%	75.8%	77.2%
Vaginal^	39.5%	39.2%	29.4%	42.0%	57.1%
Anal^	27.6%	43.8%	60.0%	61.9%	78.6%
STD History	14.6%	16.7%	25.0%	14.9%	13.6%
Multiple Partners	44.6%	44.4%	41.7%	29.8%	28.8%
Exchange Sex					
Bought	6.6%	19.4%	0.0%	11.4%	0.8%
Sold	4.7%	8.3%	41.7%	0.9%	13.6%
Substance Use	55.4%	90.3%	95.8%	64.0%	61.6%
Sharing Needles		58.3%	75.0%		
Partner risk	66.2%	66.7%	58.3%	36.0%	51.2%
Partner Mult Partners	33.3%	37.5%	25.0%	23.7%	26.4%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Risks for HIV Positives by Geographic Location

Panhandle (LOMA)

	HMAZ =	13			Lubbock
	M/MS	II	ου	F/I	vis
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	75.0%	42.9%		100.0%	100.0%
Vaginal^	*	60.0%		29.4%	62.5%
Anal^	25.0%	33.3%		50.0%	
STD History	14.8%	57.1%		9.5%	0.0%
Multiple Partners	33.3%	71.4%		33.3%	30.0%
Exchange Sex					
Bought	0.0%	0.0%		0.0%	0.0%
Sold	7.4%	14.3%		0.0%	0.0%
Substance Use	48.1%	85.7%		61.9%	60.0%
Sharing Needles		42.9%			
Partner risk	63.3%	16.7%		20.0%	100.0%
Partner Mult Partners	40.7%	71.4%		19.0%	40.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	16			Amarillo
	M/MS	IC	DU	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	55.6%	*	*		*
Vaginal^	75.0%	*	*	*	80.0%
Anal^	40.0%	*	*		*
STD History	11.1%	50.0%	*	18.2%	16.7%
Multiple Partners	77.8%	100.0%	*	18.2%	50.0%
Exchange Sex					
Bought	16.7%	0.0%	*	18.2%	0.0%
Sold	0.0%	0.0%	*	0.0%	16.7%
Substance Use	44.4%	100.0%	*	27.3%	50.0%
Sharing Needles		100.0%	*		
Partner risk	58.6%	13.8%	*	27.6%	80.0%
Partner Mult Partners	55.6%	100.0%	*	27.3%	16.7%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	17			Permian Basin
	M/MS	10	οU	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	54.5%	*	*	*	*
Vaginal^		*	*	*	*
Anal^	18.2%		*		
STD History	0.0%	20.0%	*	0.0%	0.0%
Multiple Partners	46.7%	60.0%	*	0.0%	25.0%
Exchange Sex	·				
Bought	0.0%	20.0%	*	0.0%	0.0%
Sold	0.0%	0.0%	*	0.0%	25.0%
Substance Use	53.3%	40.0%	*	50.0%	100.0%
Sharing Needles		20.0%	*		
Partner risk	64.3%	21.4%	*	14.3%	66.7%
Partner Mult Partners	46.7%	60.0%	*	25.0%	50.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	21			Rural Panhandle
	M/MS	ID	ΟU	F	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	62.5%	75.0%		*	*
Vaginal^	*	*		*	*
Anal^	11.1%	*		*	*
STD History	0.0%	0.0%		*	*
Multiple Partners	41.7%	75.0%		*	*
Exchange Sex					
Bought	0.0%	0.0%		*	*
Sold	0.0%	0.0%		*	*
Substance Use	50.0%	100.0%		*	*
Sharing Needles		25.0%			
Partner risk	58.3%	25.0%		*	*
Partner Mult Partners	25.0%	50.0%		*	*

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

North/Northeast

	HMAZ =	2			Tarrant
	M/MS	IC	DU	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	50.8%	56.3%	*	55.0%	71.4%
Vaginal [^]	25.0%	47.8%	33.3%	35.7%	43.9%
Anal^	24.0%	45.5%		28.6%	50.0%
STD History	12.2%	16.7%	75.0%	19.6%	10.9%
Multiple Partners	38.9%	43.3%	25.0%	27.5%	23.9%
Exchange Sex					
Bought	2.2%	30.0%	0.0%	5.9%	4.3%
Sold	2.2%	20.0%	37.5%	3.9%	8.7%
Substance Use	57.8%	93.3%	100.0%	68.6%	52.2%
Sharing Needles		76.7%	87.5%		
Partner risk	60.7%	20.5%	20.7%	18.8%	79.3%
Partner Mult Partners	31.1%	33.3%	0.0%	19.6%	17.4%
40/ M II I					

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	3			Dallas
	M/MS	ID	U	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	78.9%	*	*	66.7%	100.0%
Vaginal [^]	54.5%	*	*	38.5%	62.5%
Anal^	25.9%	75.0%	*	40.0%	*
STD History	12.1%	25.0%	*	16.7%	18.2%
Multiple Partners	57.3%	75.0%	*	37.5%	31.8%
Exchange Sex					
Bought	1.0%	0.0%	*	8.3%	0.0%
Sold	2.5%	50.0%	*	0.0%	13.6%
Substance Use	65.8%	100.0%	*	45.8%	40.9%
Sharing Needles		100.0%	*		
Partner risk	88.2%	2.0%	*	9.8%	93.8%
Partner Mult Partners	21.1%	25.0%	*	33.3%	40.9%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

North/Northeast

	HMAZ =	4			Metroplex
	M/MS	II	DU		F/MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	68.8%	*		*	*
Vaginal^	*	*		20.0%	50.0%
Anal^	23.5%	*			
STD History	10.5%	*		0.0%	28.6%
Multiple Partners	42.1%	*		33.3%	42.9%
Exchange Sex					
Bought	0.0%	*		0.0%	0.0%
Sold	0.0%	*		0.0%	14.3%
Substance Use	73.7%	*		16.7%	28.6%
Sharing Needles		*			
Partner risk	83.3%	*		8.3%	100.0%
Partner Mult Partners	21.1%	*		16.7%	28.6%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Rural North
I S
Female
100.0%
75.0%
*
16.7%
0.0%
0.0%
0.0%
83.3%
50.0%
33.3%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Central Texas

	HMAZ =	7			South I35 Corridor
	M/MS	ID	υ	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	86.0%	87.5%	*	88.5%	83.3%
Vaginal^	*	37.5%	*	45.9%	50.0%
Anal^	16.3%	*	*	*	*
STD History	15.6%	10.0%	*	17.5%	35.0%
Multiple Partners	50.0%	30.0%	*	27.5%	25.0%
Exchange Sex					
Bought	0.0%	20.0%	*	20.0%	0.0%
Sold	1.6%	10.0%	*	2.5%	20.0%
Substance Use	51.6%	100.0%	*	50.0%	60.0%
Sharing Needles		80.0%	*		
Partner risk	74.6%	5.6%	*	19.7%	62.5%
Partner Mult Partners	46.9%	30.0%	*	22.5%	5.0%
40/ NI II I					

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	18			North I35 Corridor
	M/MS	IC	U	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	88.9%	100.0%	*	*	100.0%
Vaginal^	*	*	*	*	27.3%
Anal^	42.9%	75.0%	*		
STD History	8.3%	0.0%	*	0.0%	18.2%
Multiple Partners	58.3%	55.6%	*	50.0%	54.5%
Exchange Sex					
Bought	0.0%	0.0%	*	0.0%	0.0%
Sold	8.3%	22.2%	*	0.0%	0.0%
Substance Use	33.3%	44.4%	*	25.0%	27.3%
Sharing Needles		88.9%	*		
Partner risk	55.0%	30.0%	*	15.0%	100.0%
Partner Mult Partners	75.0%	44.4%	*	50.0%	63.6%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	23			Rural Central
	M/MS	IE	υ	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	60.0%	83.3%		75.0%	100.0%
Vaginal^	20.0%	60.0%		54.2%	66.7%
Anal^	44.4%	*		*	*
STD History	15.4%	33.3%		19.2%	10.0%
Multiple Partners	61.5%	83.3%		57.7%	35.0%
Exchange Sex					
Bought	7.7%	0.0%		7.7%	5.0%
Sold	7.7%	16.7%		3.8%	10.0%
Substance Use	69.2%	100.0%		61.5%	60.0%
Sharing Needles		83.3%			
Partner risk	44.0%	20.0%		36.0%	100.0%
Partner Mult Partners	61.5%	83.3%		30.8%	25.0%

^{^%} Never Used

East Texas

	HMAZ =	1			Galveston
	M/MS	II	DU	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	83.3%	*	*	*	83.3%
Vaginal^		*	*	11.1%	57.1%
Anal^	33.3%	*	*	*	*
STD History	25.0%	*	*	0.0%	12.5%
Multiple Partners	33.3%	*	*	16.7%	25.0%
Exchange Sex					
Bought	0.0%	*	*	8.3%	0.0%
Sold	0.0%	*	*	0.0%	12.5%
Substance Use	66.7%	*	*	50.0%	68.8%
Sharing Needles		*	*		
Partner risk	61.5%	*	*	30.8%	88.9%
Partner Mult Partners	41.7%	*	*	16.7%	31.3%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Golden

	HMAZ =	5			Triangle
	M/MS	IC	ου	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	75.0%	33.3%	0.0%	75.0%	58.3%
Vaginal^	*	25.0%	0.0%	27.3%	31.3%
Anal^	0.0%	*	*	*	*
STD History	20.0%	20.0%	75.0%	7.1%	26.1%
Multiple Partners	70.0%	40.0%	50.0%	42.9%	39.1%
Exchange Sex					
Bought	0.0%	0.0%	0.0%	28.6%	4.3%
Sold	10.0%	0.0%	25.0%	0.0%	13.0%
Substance Use	40.0%	80.0%	75.0%	92.9%	65.2%
Sharing Needles		30.0%	25.0%		
Partner risk	50.0%	16.7%	0.0%	33.3%	100.0%
Partner Mult Partners	60.0%	0.0%	0.0%	35.7%	34.8%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	11			Harris
	M/MS	IC	ου	F/MS	
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	45.7%	55.6%	56.3%	53.4%	54.7%
Vaginal [^]	21.8%	31.1%	33.3%	20.0%	29.3%
Anal^	20.5%	37.0%	*	40.9%	47.8%
STD History	9.0%	21.7%	15.4%	17.5%	21.3%
Multiple Partners	26.2%	49.1%	50.0%	27.6%	40.6%
Exchange Sex					
Bought	3.9%	17.9%	3.8%	5.6%	1.7%
Sold	10.4%	21.7%	42.3%	2.2%	18.4%
Substance Use	61.6%	90.6%	92.3%	69.8%	72.0%
Sharing Needles		51.9%	61.5%		
Partner risk	50.9%	20.2%	12.5%	29.0%	87.5%
Partner Mult Partners	16.8%	37.7%	42.3%	23.1%	32.6%
A0/ Nover Head					

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Houston

	HMAZ =	HMAZ = 12		Metroplex		
	M/MS	II	DU	F/	MS	
	Male	Male	Female	Male	Female	
Barrier Use						
Oral^	62.5%	*	*	75.0%	*	
Vaginal^	50.0%	*	*	42.9%	50.0%	
Anal^	11.1%	*	*	*	*	
STD History	0.0%	*	*	22.2%	25.0%	
Multiple Partners	40.0%	*	*	11.1%	25.0%	
Exchange Sex						
Bought	0.0%	*	*	0.0%	0.0%	
Sold	10.0%	*	*	0.0%	12.5%	
Substance Use	60.0%	*	*	55.6%	25.0%	
Sharing Needles		*	*			
Partner risk	80.0%	*	*	10.0%	100.0%	
Partner Mult Partners	30.0%	*	*	11.1%	37.5%	

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	14			Pine Woods North
	M/MS	II	OU	F/I	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	80.0%	85.7%		90.0%	85.7%
Vaginal^	25.0%	85.7%		58.8%	41.7%
Anal^	33.3%	62.5%		100.0%	*
STD History	10.0%	22.2%		17.6%	8.3%
Multiple Partners	55.0%	66.7%		29.4%	41.7%
Exchange Sex					
Bought	0.0%	11.1%		5.9%	0.0%
Sold	5.0%	11.1%		0.0%	8.3%
Substance Use	65.0%	77.8%		70.6%	50.0%
Sharing Needles		66.7%			
Partner risk	52.9%	26.5%		20.6%	100.0%
Partner Mult Partners	60.0%	88.9%		35.3%	75.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Pine Woods South

HMAZ = 15

	M/MS	IDU		F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	*	*	*	75.0%	*
Vaginal^		*	*	50.0%	75.0%
Anal^	*	*	*		*
STD History	33.3%	*	*	0.0%	20.0%
Multiple Partners	66.7%	*	*	42.9%	40.0%
Exchange Sex					
Bought	0.0%	*	*	0.0%	0.0%
Sold	0.0%	*	*	0.0%	0.0%
Substance Use	0.0%	*	*	57.1%	20.0%
Sharing Needles		*	*		
Partner risk	42.9%	*	*	42.9%	100.0%
Partner Mult Partners	100.0%	*	*	28.6%	40.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	24			Rural East
	M/MS	IC	ΟU	F/I	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	55.6%	*		100.0%	66.7%
Vaginal [^]	25.0%	75.0%		53.3%	46.2%
Anal^	57.1%	*		100.0%	*
STD History	0.0%	33.3%		0.0%	30.8%
Multiple Partners	60.0%	66.7%		33.3%	46.2%
Exchange Sex					
Bought	10.0%	33.3%		20.8%	0.0%
Sold	0.0%	0.0%		0.0%	15.4%
Substance Use	70.0%	100.0%		66.7%	53.8%
Sharing Needles		83.3%			
Partner risk	28.0%	20.0%		52.0%	100.0%
Partner Mult Partners	40.0%	66.7%		37.5%	53.8%
AO/ Name Hand					

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

South Texas

	HMAZ =	8	Bexar		
	M/MS	IC	οU	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	68.3%	69.2%	*	70.0%	53.8%
Vaginal^	37.5%	61.5%	25.0%	64.0%	48.1%
Anal^	26.6%	50.0%	*	57.1%	60.0%
STD History	16.9%	11.8%	25.0%	17.2%	25.8%
Multiple Partners	53.0%	47.1%	100.0%	41.4%	41.9%
Exchange Sex					
Bought	3.6%	17.6%	0.0%	3.4%	3.2%
Sold	4.8%	11.8%	75.0%	0.0%	12.9%
Substance Use	59.0%	94.1%	75.0%	51.7%	64.5%
Sharing Needles		58.8%	50.0%		
Partner risk	66.7%	15.7%	16.0%	17.6%	84.0%
Partner Mult Partners	51.8%	64.7%	100.0%	34.5%	51.6%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	9			Corpus Christi
	M/MS	IC	OU	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	54.5%	*	100.0%	87.5%	100.0%
Vaginal^	*	66.7%	60.0%	57.1%	77.8%
Anal^	33.3%	*	*	*	*
STD History	14.3%	30.0%	25.0%	0.0%	8.3%
Multiple Partners	21.4%	50.0%	50.0%	36.4%	16.7%
Exchange Sex					
Bought	0.0%	30.0%	12.5%	0.0%	0.0%
Sold	0.0%	10.0%	50.0%	0.0%	0.0%
Substance Use	50.0%	70.0%	100.0%	54.5%	41.7%
Sharing Needles		80.0%	87.5%		
Partner risk	37.5%	33.3%	55.6%	29.2%	44.4%
Partner Mult Partners	21.4%	60.0%	25.0%	45.5%	0.0%
AO/ Navar Haad		•		•	

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	10			South Border
	M/MS	IC	ΟU	F/I	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	55.3%	*	*	70.8%	71.4%
Vaginal^	33.3%	*	*	54.3%	60.0%
Anal^	32.6%	*		83.3%	25.0%
STD History	3.4%	0.0%	0.0%	0.0%	0.0%
Multiple Partners	67.2%	42.9%	50.0%	43.9%	38.1%
Exchange Sex					
Bought	3.4%	0.0%	0.0%	14.6%	4.8%
Sold	10.3%	0.0%	25.0%	0.0%	0.0%
Substance Use	46.6%	71.4%	100.0%	53.7%	28.6%
Sharing Needles		57.1%	100.0%		
Partner risk	67.6%	5.9%	22.2%	26.5%	77.8%
Partner Mult Partners	56.9%	14.3%	50.0%	39.0%	38.1%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

	HMAZ =	25			Rural South
	M/MS	II	DU	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	83.3%	*		*	*
Vaginal^	*	*		40.0%	*
Anal^	16.7%	, * 0		*	*
STD History	0.0%	*		0.0%	0.0%
Multiple Partners	66.7%	*		0.0%	50.0%
Exchange Sex					
Bought	0.0%	*		0.0%	0.0%
Sold	0.0%	*		0.0%	0.0%
Substance Use	83.3%	*		50.0%	75.0%
Sharing Needles		*			
Partner risk	62.5%	*		12.5%	100.0%
Partner Mult Partners	66.7%	*		16.7%	75.0%

^{^%} Never Used

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

West Texas

	HMAZ =	HMAZ = 6			El Paso
	M/MS	IC	υ	F/	MS
	Male	Male	Female	Male	Female
Barrier Use					
Oral^	44.4%	62.5%	*	*	*
Vaginal^	*	40.0%	*	50.0%	*
Anal^	33.3%	*	*	*	*
STD History	10.0%	30.0%	0.0%	0.0%	25.0%
Multiple Partners	60.0%	50.0%	62.5%	66.7%	75.0%
Exchange Sex					
Bought	5.0%	30.0%	0.0%	50.0%	0.0%
Sold	5.0%	20.0%	25.0%	0.0%	0.0%
Substance Use	55.0%	100.0%	87.5%	66.7%	75.0%
Sharing Needles		80.0%	87.5%		
Partner risk	56.7%	33.3%	66.7%	10.0%	33.3%
Partner Mult Partners	70.0%	90.0%	75.0%	33.3%	100.0%
AO/ Marray Hand					•

Never Used

There were no positives reported through publicly-funded prevention counseling in Rural West Texas between 1999 and 2000.

Drugs Reported Used by HIV Positives During Sex in the Past Year

Statewide by Race/Ethnicity

White/Anglo

	M/MS	II	IDU		MS
	Male	Male	Female	Male	Female
Drug use	61.5%	87.0%	88.4%	66.1%	66.4%
Heroin	2.2%	30.9%	23.3%	1.6%	2.3%
Cocaine	16.2%	61.8%	60.5%	12.6%	28.1%
Marijuana	24.9%	43.1%	41.9%	24.4%	32.8%
Alcohol	51.8%	59.3%	48.8%	58.3%	43.0%
Amphetamines	6.8%	31.7%	23.3%	3.1%	4.7%
Inhalants	11.6%	13.0%	7.0%	0.8%	0.0%
Number counseled	413	123	43	127	128

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

African American

	M/MS	II	IDU		MS
	Male	Male	Female	Male	Female
Drug use	58.5%	88.5%	94.4%	64.8%	63.7%
Heroin	0.7%	31.2%	41.2%	1.1%	1.6%
Cocaine	18.5%	64.1%	77.8%	24.9%	35.1%
Marijuana	25.1%	41.0%	61.1%	28.9%	25.8%
Alcohol	44.3%	56.4%	66.7%	48.7%	39.1%
Amphetamines	1.0%	12.8%	5.6%	0.3%	0.9%
Inhalants	1.0%	7.7%	5.6%	0.6%	0.0%
Number counseled	287	78	18	349	322

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Hispanic

	M/MS	IDU		F/	MS
	Male	Male	Female	Male	Female
Drug use	57.3%	89.1%	90.5%	55.7%	46.1%
Heroin	1.0%	45.3%	61.9%	1.2%	0.0%
Cocaine	17.5%	57.8%	76.2%	12.1%	21.3%
Marijuana	16.5%	42.2%	38.1%	15.5%	11.2%
Alcohol	50.8%	67.2%	42.9%	51.1%	34.8%
Amphetamines	1.9%	12.5%	14.3%	2.9%	0.0%
Inhalants	3.9%	10.9%	9.5%	1.1%	0.0%
Number counseled	309	64	21	174	89

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Other

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	50.0%	100.0%	*	50.0%	50.0%
Heroin	0.0%	60.0%	*	0.0%	0.0%
Cocaine	5.6%	40.0%	*	0.0%	25.0%
Marijuana	11.1%	40.0%	*	25.0%	25.0%
Alcohol	44.4%	80.0%	*	50.0%	25.0%
Amphetamines	0.0%	20.0%	*	0.0%	0.0%
Inhalants	5.6%	20.0%	*	0.0%	0.0%
Number counseled	18	5	1	4	4

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Statewide by Age Group

Adolescents (13 - 19)

	M/MS	IDU		M/MS IDU		F/	MS
	Male	Male	Female	Male	Female		
Drug use	64.0%	*	*	52.6%	54.1%		
Heroin	4.0%	*	*	0.0%	0.0%		
Cocaine	8.0%	*	*	26.3%	21.6%		
Marijuana	36.0%	*	*	42.1%	35.1%		
Alcohol	52.0%	*	*	42.1%	35.1%		
Amphetamines	4.0%	*	*	15.8%	2.7%		
Inhalants	4.0%	*	*	0.0%	0.0%		
Number counseled	25	3	3	19	37		

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Young Adult (20 - 24)

	M/MS	IDU		M/MS IDU		M/MS IDU		IDU F/MS	MS
	Male	Male	Female	Male	Female				
Drug use	63.3%	83.9%	100.0%	66.7%	51.6%				
Heroin	3.1%	25.8%	62.5%	0.0%	1.1%				
Cocaine	17.2%	48.4%	75.0%	15.7%	14.7%				
Marijuana	23.4%	51.6%	75.0%	41.2%	28.4%				
Alcohol	53.1%	71.0%	50.0%	52.9%	29.5%				
Amphetamines	5.5%	29.0%	25.0%	5.9%	2.1%				
Inhalants	4.7%	16.1%	12.5%	2.0%	0.0%				
Number counseled	128	31	8	51	95				

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

25 - 29 yrs

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	55.3%	92.5%	90.0%	63.0%	64.7%
Heroin	0.9%	35.0%	30.0%	0.0%	1.2%
Cocaine	19.5%	65.0%	60.0%	15.0%	34.1%
Marijuana	19.1%	45.0%	20.0%	31.0%	22.4%
Alcohol	48.4%	52.5%	40.0%	55.0%	43.5%
Amphetamines	5.6%	40.0%	30.0%	0.0%	1.2%
Inhalants	3.7%	10.0%	0.0%	0.0%	0.0%
Number counseled	215	40	10	100	85

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

30 - 39 yrs

	M/MS	IDU		M/MS IDU I		F/	MS
	Male	Male	Female	Male	Female		
Drug use	61.2%	86.1%	83.8%	59.4%	67.0%		
Heroin	0.7%	32.2%	35.1%	2.1%	2.2%		
Cocaine	17.6%	53.9%	64.9%	21.3%	36.7%		
Marijuana	23.5%	40.0%	40.5%	23.0%	27.1%		
Alcohol	49.2%	62.6%	51.4%	47.5%	41.5%		
Amphetamines	3.3%	17.4%	8.1%	0.8%	2.7%		
Inhalants	7.8%	11.3%	5.4%	0.8%	0.0%		
Number counseled	425	115	37	244	188		

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

40+ yrs

	M/MS	M/MS IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	55.4%	90.3%	95.8%	64.0%	61.6%
Heroin	1.4%	42.3%	34.8%	1.3%	1.6%
Cocaine	14.6%	75.0%	70.8%	16.7%	36.0%
Marijuana	19.7%	40.3%	50.0%	18.0%	20.8%
Alcohol	46.9%	62.5%	50.0%	52.2%	42.4%
Amphetamines	1.4%	13.9%	20.8%	0.9%	0.0%
Inhalants	6.6%	8.3%	8.3%	0.9%	0.0%
Number counseled	213	72	24	228	125

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Geographically by HMAZ and LMAZ

Panhandle (LOMA)

HMAZ 13 Lubbock

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	48.1%	85.7%		61.9%	60.0%
Heroin	7.4%	28.6%		0.0%	0.0%
Cocaine	11.1%	57.1%		19.0%	10.0%
Marijuana	18.5%	42.9%		9.5%	20.0%
Alcohol	40.7%	85.7%		61.9%	50.0%
Amphetamines	3.7%	28.6%		0.0%	0.0%
Inhalants	0.0%	28.6%		0.0%	0.0%
Number counseled	27	7	0	21	10

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ	16	Amarillo

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	44.4%	100.0%	*	27.3%	50.0%
Heroin	0.0%	25.0%	*	0.0%	0.0%
Cocaine	5.6%	100.0%	*	9.1%	33.3%
Marijuana	11.1%	50.0%	*	9.1%	16.7%
Alcohol	38.9%	100.0%	*	27.3%	33.3%
Amphetamines	0.0%	75.0%	*	0.0%	0.0%
Inhalants	0.0%	25.0%	*	0.0%	0.0%
Number counseled	18	4	1	11	6

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Permian
HMAZ	17	Basin

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	53.3%	40.0%	*	50.0%	100.0%
Heroin	0.0%	20.0%	*	0.0%	25.0%
Cocaine	20.0%	40.0%	*	0.0%	50.0%
Marijuana	40.0%	20.0%	*	0.0%	75.0%
Alcohol	40.0%	40.0%	*	50.0%	75.0%
Amphetamines	0.0%	0.0%	*	0.0%	0.0%
Inhalants	0.0%	0.0%	*	0.0%	0.0%
Number counseled	15	5	1	4	4

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Rural
HMAZ	21	Panhandle

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	50.0%	100.0%		*	*
Heroin	0.0%	25.0%		*	*
Cocaine	8.3%	75.0%		*	*
Marijuana	16.7%	75.0%		*	*
Alcohol	41.7%	75.0%		*	*
Amphetamines	0.0%	75.0%		*	*
Inhalants	0.0%	25.0%		*	*
Number counseled	12	4	0	3	2

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

North/Northeast

HMAZ 2 Tarrant

	M/MS IDU		F/MS		
	Male	Male	Female	Male	Female
Drug use	57.8%	93.3%	100.0%	68.6%	52.2%
Heroin	1.1%	53.3%	75.0%	2.0%	4.3%
Cocaine	13.3%	70.0%	87.5%	19.6%	17.4%
Marijuana	24.4%	66.7%	62.5%	25.5%	19.6%
Alcohol	52.2%	80.0%	75.0%	56.9%	37.0%
Amphetamines	4.4%	50.0%	25.0%	0.0%	2.2%
Inhalants	6.7%	3.3%	12.5%	0.0%	0.0%
Number counseled	90	30	8	51	46

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 3 Dallas

	M/MS IDU		U	F/MS		
	Male	Male	Female	Male	Female	
Drug use	65.8%	100.0%	*	45.8%	40.9%	
Heroin	1.5%	25.0%	*	0.0%	0.0%	
Cocaine	19.1%	100.0%	*	4.2%	18.2%	
Marijuana	19.6%	75.0%	*	8.3%	9.1%	
Alcohol	55.3%	100.0%	*	37.5%	31.8%	
Amphetamines	10.6%	75.0%	*	4.2%	0.0%	
Inhalants	19.1%	0.0%	*	8.3%	0.0%	
Number counseled	199	4	1	24	22	

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		North/Northeast
HMAZ	4	Metroplex

	M/MS	IDU		ı	F/MS
	Male	Male	Female	Male	Female
Drug use	73.7%	*		16.7%	28.6%
Heroin	0.0%	*		0.0%	0.0%
Cocaine	42.1%	*		0.0%	14.3%
Marijuana	21.1%	*		0.0%	28.6%
Alcohol	63.2%	*		0.0%	14.3%
Amphetamines	0.0%	*		0.0%	14.3%
Inhalants	10.5%	*		0.0%	0.0%
Number counseled	19	1	0	6	7

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Rural
HMAZ	22	North/Northeast

	M/MS	ID	IDU		F/MS
	Male	Male	Female	Male	Female
Drug use	84.2%	100.0%	71.4%	66.7%	83.3%
Heroin	0.0%	12.5%	14.3%	0.0%	0.0%
Cocaine	10.5%	25.0%	0.0%	20.0%	33.3%
Marijuana	36.8%	37.5%	14.3%	26.7%	33.3%
Alcohol	78.9%	50.0%	28.6%	46.7%	50.0%
Amphetamines	5.3%	25.0%	14.3%	0.0%	0.0%
Inhalants	0.0%	0.0%	0.0%	0.0%	0.0%
Number counseled	19	8	7	15	6

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

Central Texas

HMAZ 7 South I35 Corridor

	M/MS IDU		F/MS		
	Male	Male	Female	Male	Female
Drug use	51.6%	100.0%	*	50.0%	60.0%
Heroin	1.6%	40.0%	*	2.5%	0.0%
Cocaine	17.2%	80.0%	*	20.0%	50.0%
Marijuana	20.3%	60.0%	*	22.5%	25.0%
Alcohol	48.4%	70.0%	*	40.0%	35.0%
Amphetamines	0.0%	30.0%	*	0.0%	5.0%
Inhalants	4.7%	10.0%	*	0.0%	0.0%
Number counseled	64	10	3	40	20

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 18 North I35 Corridor

	M/MS	IC	DU	F/MS	
	Male	Male	Female	Male	Female
Drug use	33.3%	44.4%	*	25.0%	27.3%
Heroin	0.0%	33.3%	*	0.0%	0.0%
Cocaine	16.7%	33.3%	*	0.0%	18.2%
Marijuana	25.0%	11.1%	*	0.0%	9.1%
Alcohol	16.7%	11.1%	*	25.0%	18.2%
Amphetamines	0.0%	0.0%	*	0.0%	0.0%
Inhalants	0.0%	0.0%	*	0.0%	0.0%
Number counseled	12	9	1	4	11

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Rural
HMAZ	23	Central

	M/MS IDU		F/MS		
	Male	Male	Female	Male	Female
Drug use	69.2%	100.0%	*	61.5%	60.0%
Heroin	7.7%	66.7%	*	0.0%	0.0%
Cocaine	15.4%	66.7%	*	0.0%	20.0%
Marijuana	30.8%	100.0%	*	34.6%	25.0%
Alcohol	69.2%	100.0%	*	61.5%	60.0%
Amphetamines	7.7%	66.7%	*	0.0%	5.0%
Inhalants	7.7%	50.0%	*	0.0%	0.0%
Number counseled	13	6	1	26	20

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

East Texas

HMAZ 1 Galveston

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	66.7%	*	*	50.0%	68.8%
Heroin	0.0%	*	*	0.0%	0.0%
Cocaine	8.3%	*	*	16.7%	31.3%
Marijuana	8.3%	*	*	16.7%	18.8%
Alcohol	58.3%	*	*	50.0%	50.0%
Amphetamines	0.0%	*	*	0.0%	0.0%
Inhalants	0.0%	*	*	0.0%	0.0%
Number counseled	12	1	2	12	16

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 5 Golden Triangle

	M/MS	IDU		F/	MS
	Male	Male	Female	Male	Female
Drug use	40.0%	80.0%	75.0%	92.9%	65.2%
Heroin	0.0%	30.0%	0.0%	7.1%	0.0%
Cocaine	0.0%	40.0%	75.0%	7.1%	26.1%
Marijuana	10.0%	40.0%	25.0%	14.3%	30.4%
Alcohol	30.0%	70.0%	25.0%	92.9%	56.5%
Amphetamines	0.0%	20.0%	0.0%	0.0%	0.0%
Inhalants	0.0%	0.0%	0.0%	0.0%	0.0%
Number counseled	10	10	4	14	23

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 11 Harris		Harris
----------------	--	--------

	M/MS	IDU		F/	MS
	Male	Male	Female	Male	Female
Drug use	61.6%	90.6%	92.3%	69.8%	72.0%
Heroin	1.8%	28.6%	28.0%	1.1%	1.7%
Cocaine	19.4%	62.3%	76.9%	25.4%	42.7%
Marijuana	24.0%	34.0%	46.2%	29.5%	31.8%
Alcohol	45.5%	50.0%	50.0%	51.9%	37.7%
Amphetamines	1.8%	9.4%	23.1%	1.1%	1.7%
Inhalants	3.6%	10.4%	11.5%	1.1%	0.0%
Number counseled	279	106	26	268	239

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Houston
HMAZ	12	Metroplex

	M/MS	IDU		F/	F/MS
	Male	Male	Female	Male	Female
Drug use	60.0%	*	*	55.6%	25.0%
Heroin	0.0%	*	*	0.0%	0.0%
Cocaine	10.0%	*	*	22.2%	12.5%
Marijuana	20.0%	*	*	44.4%	0.0%
Alcohol	50.0%	*	*	33.3%	12.5%
Amphetamines	10.0%	*	*	0.0%	0.0%
Inhalants	20.0%	*	*	0.0%	0.0%
Number counseled	10	1	1	9	8

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Pine
		Woods
HMAZ	14	North

	M/MS	IDU		J F/I	
	Male	Male	Female	Male	Female
Drug use	65.0%	77.8%		70.6%	50.0%
Heroin	0.0%	55.6%		0.0%	0.0%
Cocaine	15.0%	77.8%		11.8%	8.3%
Marijuana	35.0%	33.3%		23.5%	16.7%
Alcohol	60.0%	44.4%		70.6%	50.0%
Amphetamines	0.0%	22.2%		0.0%	0.0%
Inhalants	5.0%	11.1%		0.0%	0.0%
Number counseled	20	9	0	17	12

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 15	Pine Woods South
---------	-------------------------

	M/MS	IDU		M/MS IDU	F	MS
	Male	Male	Female	Male	Female	
Drug use	0.0%	*	*	57.1%	20.0%	
Heroin	0.0%	*	*	0.0%	0.0%	
Cocaine	0.0%	*	*	14.3%	0.0%	
Marijuana	0.0%	*	*	42.9%	0.0%	
Alcohol	0.0%	*	*	57.1%	20.0%	
Amphetamines	0.0%	*	*	14.3%	0.0%	
Inhalants	0.0%	*	*	0.0%	0.0%	
Number counseled	3	1	1	7	5	

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

HMAZ 24 Rural East

	M/MS	IDU		M/MS IDU		F/MS	
	Male	Male	Female	Male	Female		
Drug use	70.0%	100.0%	*	66.7%	53.8%		
Heroin	0.0%	33.3%	*	0.0%	0.0%		
Cocaine	20.0%	66.7%	*	20.8%	23.1%		
Marijuana	50.0%	66.7%	*	37.5%	30.8%		
Alcohol	60.0%	100.0%	*	66.7%	46.2%		
Amphetamines	10.0%	50.0%	*	4.2%	0.0%		
Inhalants	10.0%	50.0%	*	0.0%	0.0%		
Number counseled	10	6	1	24	13		

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

South Texas

HMAZ 8 Bexar

	M/MS	IDU		M/MS IDU		F/MS	
	Male	Male	Female	Male	Female		
Drug use	59.0%	94.1%	75.0%	51.7%	64.5%		
Heroin	1.2%	41.2%	50.0%	0.0%	3.2%		
Cocaine	20.5%	70.6%	75.0%	17.2%	22.6%		
Marijuana	24.1%	41.2%	75.0%	13.8%	22.6%		
Alcohol	53.0%	88.2%	75.0%	44.8%	51.6%		
Amphetamines	1.2%	11.8%	50.0%	0.0%	0.0%		
Inhalants	0.0%	5.9%	0.0%	0.0%	0.0%		
Number counseled	83	17	4	29	31		

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Corpus
HMAZ	9	Christi

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	50.0%	70.0%	100.0%	54.5%	41.7%
Heroin	0.0%	0.0%	50.0%	0.0%	0.0%
Cocaine	7.1%	50.0%	87.5%	18.2%	16.7%
Marijuana	14.3%	20.0%	50.0%	18.2%	8.3%
Alcohol	28.6%	30.0%	50.0%	54.5%	33.3%
Amphetamines	0.0%	20.0%	12.5%	9.1%	0.0%
Inhalants	0.0%	0.0%	12.5%	0.0%	0.0%
Number counseled	14	10	8	11	12

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		South
HMAZ	10	Border

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	46.6%	71.4%	100.0%	53.7%	28.6%
Heroin	0.0%	57.1%	50.0%	2.4%	0.0%
Cocaine	12.1%	0.0%	50.0%	7.3%	9.5%
Marijuana	13.8%	14.3%	25.0%	12.2%	0.0%
Alcohol	43.1%	14.3%	25.0%	43.9%	19.0%
Amphetamines	1.7%	0.0%	0.0%	4.9%	0.0%
Inhalants	0.0%	0.0%	0.0%	0.0%	0.0%
Number counseled	58	7	4	41	21

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

		Rura	al
HMAZ	25	Sout	h

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	83.3%	*		50.0%	75.0%
Heroin	0.0%	*		16.7%	0.0%
Cocaine	0.0%	*		33.3%	25.0%
Marijuana	33.3%	*		33.3%	25.0%
Alcohol	66.7%	*		33.3%	50.0%
Amphetamines	0.0%	*		0.0%	0.0%
Inhalants	0.0%	*		0.0%	0.0%
Number counseled	6	2	0	6	4

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

West Texas

HMAZ 6 El Paso

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	55.0%	100.0%	87.5%	66.7%	75.0%
Heroin	0.0%	90.0%	75.0%	0.0%	0.0%
Cocaine	20.0%	90.0%	87.5%	16.7%	75.0%
Marijuana	20.0%	50.0%	37.5%	16.7%	25.0%
Alcohol	50.0%	80.0%	25.0%	66.7%	50.0%
Amphetamines	0.0%	10.0%	0.0%	16.7%	0.0%
Inhalants	0.0%	30.0%	0.0%	0.0%	0.0%
Number counseled	20	10	8	6	4

^{*} Indicates one, two or three positives of that sub-population (sample size too small to report statistics)

There were no positives reported through publicly-funded prevention counseling in Rural West Texas between 1999 and 2000.